
No.



8400099

THE MUNICIPAL SHAMES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

B.B. Collier - Barney A. Smith

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT STAND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF EIGHTEEN THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITOR AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT

Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT.
UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS
OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS
Y THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'Collier'

In Testimony Whereot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington

this 29th day of November in the year of our Lord one thousand nine hundred and eighty-five.

Interior of Secretary

rssioner Variety Protection Office

Agricultural Marketing Service

APPROVAL EXPIRES 4-30-85 FORM APPROVED: OMB NO. 0681-0065 U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE held confidential until certificate is issued (Instructions on reverse) (7 U.S.C. 2426). 3. VARIETY NAME 2. TEMPORARY DESIGNATION 1. NAME OF APPLICANT(S) Collier B. B. Collier - Barney A. Smith FOR OFFICIAL USE ONLY 4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) 5. PHONE (Include area code) Collier-912/987-VPO NUMBER 2162 Kings Chapel Road Smith-912/ 20 929-2756 Perry, Georgia 31069 8400099 7. FAMILY NAME (Botanical) 6. GENUS AND SPECIES NAME 5/14/84_ Leguminosae Glycine max L. Merrill ☐ A.M. □ P.M. 9, DATE OF DETERMINATION 8. KIND NAME 1,800 1980 Soybeans 10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) DATE 9/19/85 12, DATE OF INCORPORATION 11, IF INCORPORATED, GIVE STATE OF INCORPORATION 13. NAME AND ADDRESS OF APPLICANT REPRESENATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Mr. Larry Walker, Walker, Richardson, Hulbert & Gray 909 Ball Street SEND ONLWAL LETTERS TO THE APPLICANT -WITH A COPY TO MR. LARRY WALKER P. O. Box 1234 31069 Perry, Georgia 14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED c. Exhibit C. Objective Description of the Variety (Request form from Plant Variety Protection Office.) 2. X Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) d, K Exhibit D. Additional Description of the Variety b. X Exhibit B. Novelty Statement 15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEEO? (See Section 83(a) of the Plant Variety Protection Act.)

| You lift "Yes," answer items 16 and 17 below) IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? 16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? Certified Registered X No X Foundation Yes 18. DID THE APPLICANT(S) FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? Yes (If "Yes," give date) \mathbf{x} 19. HAS THE VARIETY BEEN OFFERED FOR SALE OR MARKETED IN THE U.S. OR OTHER COUNTRIES? X Yes (If "Yes," give names of countries and dates) U.S. - 1984 20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties. SIGNATURE OF APPLICANT

14. EXHIBIT A

COLLIER SOYBEAN

Discovery of a natural cross in Hutton soybeans.

Collier is a tall, late, maturing variety (8 to 10 days later than Hutton) with dense gray pubesence. Collier has appeared stable and uniform through five generations of seed increase. Purple flowered off types appear 1:5000.

14. EXHIBIT B

NOVELTY STATEMENT

Collier is most similar to Cobb in plant type, pubesence, flower color and time of maturity. Collier differs from Cobb in having denser pubesence, larger leaves, more 3 seeded pods, brown seed hilum color (vs. buff for Cobb) and larger seeds than Cobb.

OMITTED PER APPLICANT'S LETER OF 6/18/84 MS
AND MR. J. M. WOODRUFF'S LETERR 9 8/2/84 5/13/84



EXHIBIT B R/5 8/13/84

THE UNIVERSITY OF GEORGIA COLLEGE OF AGRICULTURE

P. O. Box 1209 Tifton, Georgia 31793 August 2, 1984

Mr. Robert J. Snyder, Examiner Plant Variety Protection Office USDA, National Agriculture Library Building Beltsville, MD 20705

RE: Soybean Application No. 8400099, "Collier"

Dear Mr. Snyder:

Mr. Bennie Collier asked that I share with you my experiences and observations on "Collier" soybeans. You have my permission to use the following comments in establishing uniqueness for the Collier variety if you desire them.

I first observed "Collier" soybeans in 1982 at Mr. Collier's farm near Perry, Georgia. The variety is distinctly different than any variety currently being grown in this region. I suggested to Mr. Collier that the variety more closely resembled the Cobb variety than any other variety for the following reasons:

- (1) both are determinate varieties of late Group VIII maturity. (At Perry, both mature October 25 to 29 with May - Early June planting).
- (2) both have white flowers
- (3) both have gray pubesence
 (4) both have large round ovate leaves
 (5) both have buff seed hilam color

I have planted "Collier" in eight variety tests and have observed the following differences:

- (1) "Collier" has 100% more pubesence hairs than Cobb or any other soybean variety grown in this region (I have never seen any variety similar in this respect.)
- (2) Collier has predominately 3-seeded pods, Cobb has predominately 2-seeded pods.
- (3) Collier has very large seed (18 to 22 gram/100 seed is common). Cobb seed normally are small, weigh 14 to 16 grams/100 seed.
- (4) Collier is more sensitive to metribuzin herbicide than is Cobb.

A UNIT OF THE UNIVERSITY SYSTEM OF GEORGIA

Mr. Robert J. Snyder Page 2 August 2, 1984

- (5) In my tests, Collier has consistantly been taller than Cobb by 4 to 6 inches.
- (6) Canopy appearance, for the two varieties differs. Collier canopies tend to be tall and narrow, Cobb tends to be shorter with many more lateral branches.

Leaf-petiole exhibits for both Collier and Cobb are enclosed. I collected these from my test at Spence field near Moultrie, Georgia, July 26, 1984.

I trust that these comments will be of value. Please feel free to contact me if I can be of further assistance.

Sincerely,

John M. Woodruff Extension Agronomist Soybeans

JMW:am

Encl.

FORM APPROVED: OMB NO. 0581-0055

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	TEMPORARY DESIGNATION VARIETY NAME
NAME OF APPLICANT(S)	Collier
B. B. Collier - Barney A. Smith	A LOS ONLY
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	PVPO NUMBER
2162 Kings Chapel Road Perry, Georgia 31069	8400099
Choose the appropriate response which characterizes the vain your answer is fewer than the number of boxes provided	ariety in the features described below. When the number of significant digits d, place a zero in the first box when number is 9 or less (e.g., 0 9).
1. SEED SHAPE: 4	T 2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) 4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
1 = Oull ('Corsoy 79'; 'Brexton') 2 = Shiny ('Net	bsoy'; 'Gasoy 17')
4. SEED SIZE: (Mature Seed)	
2 1 Grams per 100 seeds	
5. HILUM COLOR: (Mature Seed) 1 RIS 8//3/87 1 - Buf 2 - Yellow 3 * Brown	4 = Gray 5 = Imperfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)	
1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
1 = Type A (SP1 ^a) 2 = Type B (SP1 ¹	b _}
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green 3 = Light Purple below cotyledons ('Beeson'; 'Pickett' 4 = Dark Purple extending to unifoliate leaves ('Hodgs	n with bronze band below cotyledons ("Woodworth"; "Trecy") 71") son"; "Coker Hampton 266A")
10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Ovat 3 = Ot	ivate 4 = Other (Specify)
	Page 1 of

FORM LMGS-470-57 (2-82)

The state of

8400099	
11. LEAFLET SIZE:	
1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
13. FLOWER COLOR:	
1 - White 2 - Purple 3 - White with purple throat	
14. POD COLOR:	•
1 = Tan 2 = Brown 3 = Black	
15. PLANT PUBESCENCE COLOR:	
1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	
1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	
17. PLANT HABIT:	
1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Petican')	
18. MATURITY GROUP:	
1 1 - 000 2 - 00 3 - 0 4 - ! 5 - II 6 - III 7 - IV 8 - V 9 - VI 10 - VII 11 - VIII 12 - IX 13 - X	
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACTERIAL DISEASES:	
Becterial Pustule (Xanthomonas phaseoli var. sojensis)	
Bacterial Blight (Pseudomonas glycinea)	-
2 Wildfire (Pseudomones tebeci)	
FUNGAL DISEASES:	
0 Brown Spot (Septoria glycines)	
Frogeye Leaf Spot (Cercospora sojina)	
Race 1 Race 2 Race 3 Race 4 Race 5 Other (Specify)	
Target Spot (Corynespore cassiicola)	
O Downy Mildew (Peronospora trifoliorum var. manshurica)	
Powdery Mildew (Microsphaera diffusa)	
0 Brown Stem Rot (Cephalosporium gregatum)	
Stem Canker (Diaporthe phaseolorum var., caulivora)	

					8400033				
19. DISEAS	E REACTION	: {Enter 0 = Not Teste	d; 1 = Susceptible; 2 = I	Resistant) (Continued)					
FUNC	SAL DISEASE	S: (Continued)							
0	Pod and Stem	Blight <i>(Diaporthe pha</i>	seolorum var; sojae)						
2	Purple Seed S	tain (Cercospora kikud	hii)						
0	Rhizoctonia F	Root Rot (Rhizoctonia	solani)						
	Phytophthora	Rot (Phytophthora m	egasperma var. sojae)		•				
0	Race 1	Race 2	Race 3	Race 4 Race 5	Race 6 Race 7				
0	Race 8	Race 9	Other (Specify)						
VIRA	L DISEASES:	· ·							
0	Bud Blight (T	obacco Ringspot Virus)						
0	Yellow Mosaid	c (Bean Yellow Mosaic	Virus)						
0	Cowpea Mosa	ic (Cowpea Chlorotic \	/irus)		•				
٥	Pod Mottle (B	lean Pod Mottle Virus)							
0	Seed Mottle (Soybean Mosaic Virus)		٠					
NEMA	ATODE DISEA	SES:							
	Soybean Cyst	Nematode (Heteroder	glycines)						
0	Race 1	Race 2	Race 3	Race 4 Other (Specify)				
0	Lance Nematode (HopIclaimus Colombus)								
	Southern Root Knot Nematode (Meloidogyne incognita)								
0	Northern Roo	t Knot Nematode (Me	oidogyne Hapla)						
	Peanut Root k	Cnot Nematode (Meloi	dogyne arenaria)						
0	Reniform Nen	natode (Rotylenchulus	reniformis)						
Ī	OTHER DISE	ASE NOT ON FORM	(Specify):						
									
· [m			Not Tested; 1 = Suscept	tible; 2 = Resistant)					
	Iron Chlorosis	on Calcareous Soil							
	Other (Specify	/							
21. INSECT	REACTION:	(Enter 0 = Not Tested;	1 = Susceptible; 2 = Re	sistant					
0	Mexican Bean	Beetle (Epilachna varie	estis)						
اما	Potato Leaf He	opper (Empoasca fabai	·)						
0	Other (Specify	<i>d</i>							
22. INDICAT	TE WHICH VA	RIETY MOST CLOSE	LY RESEMBLES THA	T SUBMITTED.					
CHAR	ACTER	NAME O	VARIETY	CHARACTER	NAME OF VARIETY				
Plant Sha	pe	Stewart		Seed Coat Luster	Deltapine 105				
Leaf Shap	De .	Hutton		Seed Size	Hutton				
Leaf Colo	or	Braxton		Seed Shape	Portage				
Leaf Size		Braxton		Seedling Pigmentation	Deltapine 105				

FORM LMGS-470-57 (2-82)

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
				CM Width	CM Length	% Protein	% Oit	ŞEEDS	POD
Collier Submitted	168	2	100	6.0	10.0	43	18	21	3
CObb Name of Similar Variety	167	3	88	6.0	8.0	38.6	18.6	15	2

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell, 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTi-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris, 1976. Differentiation of soybean cultivars by seedling pigmentation patterns, J. Seed Technol, 1: 1-19.

14. EXHIBIT D

Collier has extremely dense gray pubesence and white flowers. Seed hilum color is mostly brown about 1/2% range from buff to black. Plants tend to be tall (18 to 21 nodes) and bushy.

OMITTED PER APPLICANT'S LETTER OF 6/18/84

AND N/R. J.M. WOODRUFF'S LETTER OF 8/2/84.

R/S 8/13/84